




Rental of wagons



Eanos 9-119.24

Technical data


WAGON TYPE	Four-axle open wagon of regular structure with side door, sheet metal floor
TRANSPORTABLE PRODUCTS	Ore, coke, coal, piece shipments
MAXIMUM SPEED	100 km/h
WEIGHT ON AXLE	22.5 t
TARE WEIGHT	cca 24.5 t
PAYLOAD	65.5 t
(PAYLOAD) VOLUME	82.5 m ³
LOADING (USABLE) AREA	39.4 m ²
CARGO LENGTH	14 492 mm
LENGHT OVER BUFFERS	15 740 mm
WIDTH OF WAGON	2 994 mm
HEIGHT OVER RAIL	3 334 mm
MINIMUM CURVE RADIUS	35 m
USAGE MODE	For international transport



PKP CARGO INTERNATIONAL a.s.
 Betonářská 580/14, Muglinov, 712 00 Ostrava
 tel. +420 596 166 111
sales@pkpcargointernational.com
pkpcargointernational.com



Rental of wagons



Eaos 103

Technical data


WAGON TYPE	Four-axle open wagon of regular structure with side door, sheet metal floor
TRANSPORTABLE PRODUCTS	Ore, coke, coal, piece shipments
MAXIMUM SPEED	100 km/h
WEIGHT ON AXLE	20 t
TARE WEIGHT	cca 21.8 t
PAYLOAD	58.2 t
(PAYLOAD) VOLUME	72 m ³
LOADING (USABLE) AREA	35 m ²
CARGO LENGTH	12.8 m
LENGHT OVER BUFFERS	14 040 mm
WIDTH OF WAGON	3020 mm
HEIGHT OVER RAIL	3276 mm
MINIMUM CURVE RADIUS	75 m
USAGE MODE	For international transport



PKP CARGO INTERNATIONAL a.s.
 Betonářská 580/14, Muglinov, 712 00 Ostrava
 tel. +420 596 166 111
sales@pkpcargointernational.com
pkpcargointernational.com



Rental of wagons



Eaos 473-00

Technical data


WAGON TYPE	Four-axle open wagon of regular structure with side door, sheet metal floor
TRANSPORTABLE PRODUCTS	Ore, coke, coal, piece shipments
MAXIMUM SPEED	100 km/h
WEIGHT ON AXLE	20 t
TARE WEIGHT	cca 21.5 t
PAYLOAD	58.5 t
(PAYLOAD) VOLUME	72 m ³
LOADING (USABLE) AREA	36 m ²
CARGO LENGTH	12.8 m
LENGHT OVER BUFFERS	14 040 mm
WIDTH OF WAGON	3040 mm
HEIGHT OVER RAIL	3276 mm
MINIMUM CURVE RADIUS	75 m
USAGE MODE	For international transport



PKP CARGO INTERNATIONAL a.s.
 Betonářská 580/14, Muglinov, 712 00 Ostrava
 tel. +420 596 166 111
sales@pkpcargointernational.com
pkpcargointernational.com



Rental of wagons



Eas-u 9-107.11

Technical data


WAGON TYPE	Four-axle open wagon of regular structure with front flaps and side door, manual shunt brake and sheet metal floor
TRANSPORTABLE PRODUCTS	Ore, coke, coal, piece shipments
MAXIMUM SPEED	100 km/h
WEIGHT ON AXLE	20 t
TARE WEIGHT	cca 22,7 t
PAYLOAD	57 t
LOADING (USABLE) AREA	36 m ²
(PAYLOAD) VOLUME	72 m ³
CARGO LENGTH	12 800 mm
CARGO WIDTH	2760 mm
LENGHT OVER BUFFERS	14 040 mm
WIDTH OF WAGON	3040 mm
HEIGHT OVER RAIL	3280 mm
MINIMUM CURVE RADIUS	35 m
USAGE MODE	For international transport Emptying of wagon through four double-wing side doors, front flaps or using rotary or front discharger



PKP CARGO INTERNATIONAL a.s.
 Betonářská 580/14, Muglinov, 712 00 Ostrava
 tel. +420 596 166 111
sales@pkpcargointernational.com
pkpcargointernational.com



Rental of wagons



Faccpp 9-429.0

Technical data


WAGON TYPE	Four-axle open wagon of special structure with air-controlled flaps with brake platform and handbrake
TRANSPORTABLE PRODUCTS	Loose substrates, aggregate
MAXIMUM SPEED	65 km/h
WEIGHT ON AXLE	20 t
TARE WEIGHT	cca 21,5 t
PAYLOAD	58,5 t
CARGO SPACE	38 m ³
LENGHT OVER BUFFERS	11 190 mm
WIDTH OF WAGON	3114 mm
HEIGHT OVER RAIL	3196 mm
MINIMUM CURVE RADIUS	75 m
USAGE MODE	For domestic transport
Emptying by gravity using air-controlled flaps, empties controllably on the sides and in between rails, equipped with spreading frame to shape the dumped material to the bed shape	



PKP CARGO INTERNATIONAL a.s.
 Betonářská 580/14, Muglinov, 712 00 Ostrava
 tel. +420 596 166 111
sales@pkpcargointernational.com
pkpcargointernational.com



Rental of wagons



Faccs 9-407.0

Technical data


WAGON TYPE	Four-axle open wagon of special structure with brake platform and handbrake
TRANSPORTABLE PRODUCTS	Ground lime, aggregate, loose material
MAXIMUM SPEED	100 km/h
WEIGHT ON AXLE	20 t
TARE WEIGHT	cca 23 t
PAYLOAD	57 t
CARGO SPACE	38 m ³
LENGHT OVER BUFFERS	12 740 mm
WIDTH OF WAGON	3 100 mm
HEIGHT OVER RAIL	4 000 mm
MINIMUM CURVE RADIUS	75 m
USAGE MODE	For domestic transport, international transport with limitation
Emptying of wagons by gravity through eight manual flaps, controlled emptying on the outer sides of track or in between rails	



PKP CARGO INTERNATIONAL a.s.
 Betonářská 580/14, Muglinov, 712 00 Ostrava
 tel. +420 596 166 111
sales@pkpcargointernational.com
pkpcargointernational.com



Rental of wagons



Falls 9-401.0

Technical data


WAGON TYPE	Four-axle open wagon of special structure with air-controlled and manual flaps with brake platform and handbrake
TRANSPORTABLE PRODUCTS	Coal, coke, gravel
MAXIMUM SPEED	90 km/h
WEIGHT ON AXLE	20 t
TARE WEIGHT	26,5 t
PAYLOAD	53 t
CARGO SPACE	75 m ³
LENGHT OVER BUFFERS	13 500 mm
WIDTH OF WAGON	3090 mm
HEIGHT OVER RAIL	4000 mm
MINIMUM CURVE RADIUS	75 m
USAGE MODE	For domestic transport, international transport with limitation
Emptying of wagon by gravity through four air-controlled or manual flaps, empties on the outer sides of track through all flaps at the same time	



PKP CARGO INTERNATIONAL a.s.
 Betonářská 580/14, Muglinov, 712 00 Ostrava
 tel. +420 596 166 111
sales@pkpcargointernational.com
pkpcargointernational.com



Rental of wagons



Falls 9-401.4/9-401.5

Technical data


WAGON TYPE	Four-axle open wagon of special structure with air-controlled and manual flaps with brake platform and handbrake
TRANSPORTABLE PRODUCTS	Coal, coke, gravel, ore
MAXIMUM SPEED	100 km/h
WEIGHT ON AXLE	20 t
TARE WEIGHT	cca 26,6 t
PAYLOAD	53 t
CARGO SPACE	75 m ³
LENGHT OVER BUFFERS	13 524 mm
WIDTH OF WAGON	3090 mm
HEIGHT OVER RAIL	4000 mm
MINIMUM CURVE RADIUS	75 m
USAGE MODE	For international transport
Emptying of wagons by gravity through four simultaneously or successively air-controlled or manual flaps, empties on the outer sides of track	



PKP CARGO INTERNATIONAL a.s.
 Betonářská 580/14, Muglinov, 712 00 Ostrava
 tel. +420 596 166 111
sales@pkpcargointernational.com
pkpcargointernational.com



Rental of wagons



Fals 9-427.0

Technical data


WAGON TYPE	Four-axle open wagon of special structure with air-controlled flaps with brake platform and handbrake
TRANSPORTABLE PRODUCTS	Coal, coke, gravel, ore
MAXIMUM SPEED	100 km/h
WEIGHT ON AXLE	20 t
TARE WEIGHT	cca 26 t
PAYLOAD	54 t
CARGO SPACE	75 m ³
LENGHT OVER BUFFERS	14 540 mm
WIDTH OF WAGON	3 080 mm
HEIGHT OVER RAIL	3 627 mm
MINIMUM CURVE RADIUS	75 m
USAGE MODE	For international transport
Emptying of wagons by gravity through four air-controlled flaps, flaps can be controlled in sequence, empties on the outer sides of track	



PKP CARGO INTERNATIONAL a.s.
 Betonářská 580/14, Muglinov, 712 00 Ostrava
 tel. +420 596 166 111
sales@pkpcargointernational.com
pkpcargointernational.com



Rental of wagons



Lgs CE.0724

Technical data


WAGON TYPE	For transport of ISO containers up to 40' long
MAXIMUM SPEED	100 km/h
TARE WEIGHT	13 t
WEIGHT ON AXLE	20 t
PAYLOAD	27 t
WIDTH OF WAGON	2 932 mm
HEIGHT OF FLOOR ABOVE TK	1 205 mm
LENGHT OVER BUFFERS	14 610 mm
CARGO LENGTH	13 370 mm
CARGO WIDTH	2 610 mm
NUMBER OF TIPPING FIXATION ELEMENTS	16 ks
USAGE MODE	For international transport



PKP CARGO INTERNATIONAL a.s.
 Betonářská 580/14, Muglinov, 712 00 Ostrava
 tel. +420 596 166 111
sales@pkpcargointernational.com
pkpcargointernational.com



Rental of wagons



Sgss

Technical data


WAGON TYPE	Four-axle wagon for container transport
GAUGE	1435 mm
MAX. RUNNING SPEED WHEN EMPTY	120 km/h
MAX. PROVOZNÍ RYCHLOST V LOŽENÉM STAVU	120 km/h
TARE WEIGHT	21 t
WEIGHT ON AXLE	20 t
PAYLOAD	59 t
WIDTH OF WAGON	2940 mm
HEIGHT OF FLOOR ABOVE TK	1160 mm
CARGO LENGTH	19 200 mm
LOADING (USABLE) AREA	47,2 m ²
CARGO WIDTH	2 700 mm
NUMBER OF TIPPING FIXATION ELEMENTS	20 ks
USAGE MODE	For international transport



PKP CARGO INTERNATIONAL a.s.
 Betonářská 580/14, Muglinov, 712 00 Ostrava
 tel. +420 596 166 111
sales@pkpcargointernational.com
pkpcargointernational.com



Rental of wagons



Slps 9-206.4

Technical data


WAGON TYPE	Bogie platform wagon of special structure for transport of ACTS swap bodies
TRANSPORTABLE PRODUCTS	ACTS swap bodies
MAXIMUM SPEED	100 km/h
WEIGHT ON AXLE	20 t
TARE WEIGHT	26.8 t
PAYLOAD	49.5 t
LENGHT OVER BUFFERS	20 480 mm
WIDTH OF WAGON	2970 mm
HEIGHT OF WAGON FLOOR ABOVE TK	1840 mm
MINIMUM CURVE RADIUS	75 m
USAGE MODE	For international transport
Wagon equipped with three rotary carriers of ACTS swap bodies	



PKP CARGO INTERNATIONAL a.s.
 Betonářská 580/14, Muglinov, 712 00 Ostrava
 tel. +420 596 166 111
sales@pkpcargointernational.com
pkpcargointernational.com



Rental of wagons



Ua 428V

Technical data


WAGON TYPE	Four-axle open wagon of special structure with air-controlled double-sided tipping
TRANSPORTABLE PRODUCTS	Loose material
MAXIMUM SPEED	100 km/h
WEIGHT ON AXLE	20 t
TARE WEIGHT	cca 27 t
PAYLOAD	53 t
CARGO SPACE	31 m ³
LENGHT OVER BUFFERS	12 540 mm
WIDTH OF WAGON	3080 mm
HEIGHT OVER RAIL	3205 mm
MINIMUM CURVE RADIUS	75 m
USAGE MODE	For international transport with limitation Emptying by gravity by tilting the body to both sides under the angle of 45° by means of four air-controlled cylinders.



PKP CARGO INTERNATIONAL a.s.
 Betonářská 580/14, Muglinov, 712 00 Ostrava
 tel. +420 596 166 111
sales@pkpcargointernational.com
pkpcargointernational.com



Rental of wagons



Uacs 9-521.1

Technical data


WAGON TYPE	Four-axle wagon with reservoirs, special
TRANSPORTABLE PRODUCTS	Cement, lime, fly-ash, dry powder substances
MAXIMUM SPEED	100 km/h
WEIGHT ON AXLE	20 t
TARE WEIGHT	cca 23 t
PAYLOAD	57 t
(PAYLOAD) VOLUME	62 m ³
LENGHT OVER BUFFERS	14 640 mm
WIDTH OF WAGON	3100 mm
HEIGHT OVER RAIL	4290 mm
MINIMUM CURVE RADIUS	35 m
USAGE MODE	For international transport Emptying of wagon by compressed air



PKP CARGO INTERNATIONAL a.s.
 Betonářská 580/14, Muglinov, 712 00 Ostrava
 tel. +420 596 166 111
sales@pkpcargointernational.com
pkpcargointernational.com



Rental of wagons



Uacs 451.1

Technical data


WAGON TYPE	Four-axle wagon with reservoirs, special
TRANSPORTABLE PRODUCTS	Cement, lime, dry powder substances
MAXIMUM SPEED	100 km/h
WEIGHT ON AXLE	20 t
TARE WEIGHT	cca 26.9 t
PAYLOAD	53 t
(PAYLOAD) VOLUME	4x13 m ³
LENGHT OVER BUFFERS	14 450 mm
WIDTH OF WAGON	3080 mm
HEIGHT OVER RAIL	4650 mm
MINIMUM CURVE RADIUS	75 m
USAGE MODE	For domestic transport, international transport with limitation Emptying of wagon by compressed air



PKP CARGO INTERNATIONAL a.s.
 Betonářská 580/14, Muglinov, 712 00 Ostrava
 tel. +420 596 166 111
sales@pkpcargointernational.com
pkpcargointernational.com



Rental of wagons



Zans 9-399.2

Technical data


WAGON TYPE	Four-axle tank wagon
TRANSPORTABLE PRODUCTS	Substances class 3 according to RID
MAXIMUM SPEED	100 km/h
WEIGHT ON AXLE	22.5 t
TARE WEIGHT	25.2 t
PAYLOAD	64 t
(PAYLOAD) VOLUME	93 m ³
LENGHT OVER BUFFERS	16 440 mm
WIDTH OF WAGON	2 980 mm
HEIGHT OVER RAIL	4 294 mm
MINIMUM CURVE RADIUS	35 m
USAGE MODE	For international transport



PKP CARGO INTERNATIONAL a.s.
 Betonářská 580/14, Muglinov, 712 00 Ostrava
 tel. +420 596 166 111
sales@pkpcargointernational.com
pkpcargointernational.com



Rental of wagons



Zas 9-354.0

Technical data

WAGON TYPE	Four-axle tank wagon
TRANSPORTABLE PRODUCTS	Substances class 3 according to RID
MAXIMUM SPEED	100 km/h
WEIGHT ON AXLE	20 t
TARE WEIGHT	25.5 t
PAYLOAD	54.5 t
(PAYLOAD) VOLUME	41 m ³
LENGHT OVER BUFFERS	12 640 mm
WIDTH OF WAGON	2980 mm
HEIGHT OVER RAIL	4260 mm
MINIMUM CURVE RADIUS	35 m
USAGE MODE	For international transport



PKP CARGO INTERNATIONAL a.s.
 Betonářská 580/14, Muglinov, 712 00 Ostrava
 tel. +420 596 166 111
sales@pkpcargointernational.com
pkpcargointernational.com